

Ürün Kodu / Product Code
4900 & 4870



4900 SERİSİ / 4900 SERIES AMBALAJ BİLGİLERİ / PACKING INFORMATION		4870 SERİSİ / 4870 SERIES AMBALAJ BİLGİLERİ / PACKING INFORMATION	
AMBALAJ BİRİMİ / PACKAGING UNIT	ADET / PCS	AMBALAJ BİRİMİ / PACKAGING UNIT	ADET / PCS
AMBALAJ MİKTARI / PACKAGING QUANTITY	2200	AMBALAJ MİKTARI / PACKAGING QUANTITY	4870-090 1600 4870-100 1500 4870-110 1300
PAKETLEME ŞEKLİ / PACKAGING TYPE	TOP / ROLL	PAKETLEME ŞEKLİ / PACKAGING TYPE	TOP / ROLL



NO.	NEW NO.	DESCRIPTION	L X B X H	FLANGE	REQUEST	MATERIAL	COLOUR	PU	PQ
4900-085		or zigzag spring attachment in and on the frame, distance: 85 mm	on rolls x 31.3 x 11.0 mm		X	PP	●	req	1 IP - 32 bd
4900-100		for zigzag spring attachment in and on the frame, distance: 100 mm	on rolls x 31.3 x 11.0 mm		X	PP	●	req	1 IP - 32 bd
4900-120		for zigzag spring attachment in and on the frame, distance: 120 mm	on rolls x 31.3 x 11.0 mm		X	PP	●	req	1 IP - 32 bd
4900-130		or zigzag spring attachment in and on the frame, distance: 130 mm	on rolls x 31.3 x 11.0 mm		X	PP	●	req	1 IP - 32 bd



NO.	NEW NO.	DESCRIPTION	L X B X H	FLANGE	REQUEST	MATERIAL	COLOUR	PU	PQ
4870-070		clip distance: 70 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-080		clip distance: 80 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-085		clip distance: 85 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-090		clip distance: 90 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-095		clip distance: 95 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-100		clip distance: 100 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-110		clip distance: 110 mm	on rolls x 35.50 x 11.3 mm		X	PP	●	req	1 IP - 32 bd
4870-120		clip distance: 120 mm	on rolls x 35.50 x 11.3 mm		X	CO	●	req	1 IP - 32 bd

4900



4870



4870



